

# **Utah Weekly Pertussis Update**

2017 data, through MMWR week ending May 13, 2017 (MMWR week 19)


Data presented in this report are based on current data available and will be subject to change weekly.

## **Data Summary**

Total number of cases reported, 2017 year-to-date		Utah Incidence rate, 2017 year-to-date (YTD) per	
(YTD)	171	100,000 person-years	15.7
		Utah Incidence rate, 2016 per 100,000 person-	
Total number of cases reported 2016	267	years	9.1
		National Incidence rate*, 2015 per 100,000	
Number of cases reported in past week	7	person-years.	5.7
Total number of cases reported, through same time			
period 2016	95	2017 Hospitalizations	
	<1		
Age groups with the highest rates	5-14	2017 Cases in infants <1 year	12

<sup>\*</sup>National Incidence Rate is updated as released by the Centers for Disease Control and Prevention.

## Number of cases reported by week



<sup>\*</sup>Additional cases may have occurred, especially in the most recent 3 weeks that have not yet been reported, as indicated by the grayed out section of the graph above.

#### 2017 Year-to-Date Incidence Rates, By Age

	2017	2015	
Age (years)	Cases	population	Rate*
<1	12	50,821	64.8
1-4	17	199,882	23.3
5-14	50	516,820	26.6
15-24	38	485,295	21.5
25-34	6	441,518	3.7
35-44	17	399,342	11.7
45-54	12	309,941	10.6
55-64	7	284,433	6.8
65+	12	307,867	10.7
Total	171	2,995,919	15.7

<sup>\*</sup> Rate is calculated per 100,000 person years.


Infants less than 1 year of age have historically had the highest incidence rates of pertussis due to their susceptibility.

# School Age Incidence Rates, 2017 Year-to-Date

	Age		2015	
Grade	(years)	<b>2017 Cases</b>	Population	Rate*
Preschool	3-4	6	99,213	16.6
Kindergarten	5	3	52,218	15.8
1	6	4	52,501	20.9
2	7	5	53,394	25.7
3	8	2	53,225	10.3
4	9	4	52,275	21.0
5	10	2	52,118	10.5
6	11	7	51,405	37.4
7	12	2	50,993	10.8
8	13	9	49,184	50.2
9	14	12	49,507	66.5
10	15	7	49,530	38.8
11	16	11	47,991	62.9
12	17	11	47,452	63.6

<sup>\*</sup> Rate is calculated per 100,000 person-years. School age incidence rates were calculated using the average age of a student in each grade. High incidence rates in 5th and 6th grade may be due to waining immunity.

## Utah Case Counts of Pertussis, 2012-2017\* Year to Date



Pertussis tends to be cyclical. Reports have increased in Utah since 2010, peaked in 2012, and are currently trending downward.

<sup>\* 2017</sup> data includes pertussis cases reported year to date. 2012-2016 data reflects cases reported during the entire calendar year for each year.



# Incidence of pertussis by Local Health Department, 2017 YTD

Local Health Department	2017 Cases	Rate*
Bear River	0	0.0
Central Utah	10	35.5
Davis County	14	11.4
Salt Lake County	113	28.0
San Juan County	0	0.0
Southeast Utah	0	0.0
Southwest Utah	2	2.5
Summit County	1	6.9
Tooele County	0	0.0
TriCounty	0	0.0
Utah County	17	8.1
Wasatch County	0	0.0
Weber-Morgan	14	15.1

<sup>\*</sup> Rate is calculated per 100,000 person-years using 2015 Utah population estimates.

